

## ELECTRONIC LECTERN

*"One touch solution for interactive and impactful presentations"*



**Vocational  
Training Institutes**



**Seminar Rooms**

**Higher Education  
Colleges**

OS Pro-Lect i3-V  
All Encompassing presentation device  
Effortless handling with single button ON/OFF

### Built in devices

Amplifier	50 Watts amplifiers with built-in wireless microphone receiver
Speakers	30 x 2 Watts
Wireless Microphone Units	Lapel and handheld mic x 1
Central Controller	Audio In x 2, Video In x 2, VGA In x 2
Gooseneck Microphone	Cardioids/Lobar directivity Gooseneck Microphone 21.5cm with XLR output, permanent polarized, condenser, Phantom powered (no batteries required), ON/OFF Switch, ON/OFF LED light indicator.
Sliding Trays	Provision for keeping Keyboard mouse and Laptop
Power Supply	AC Supply, 180 -240V, 50Hz
Lock Mechanism	All the locks fitted in the powder coated steel body have a single key. Different podiums key is not interoperable.
EMC and Safety (for safety & display)	Password protection and physical key for secure access to system integrated authentication system having RFID
Console Panel Ports	RGB In, USB
Power Consumption	300 Watt Maximum
Lan Connection	RJ45 Lan port at the panel to connect network
Construction/Exclusive Chassis	<ol style="list-style-type: none"> <li>a. Wheel and floor mounted made of polymer coated CRCA steel body (MS sheet of 1.6 mm thick)</li> <li>b. Wooden top has a Lock and Key with and a smooth sliding cover for opening/closing on both sides, free standing adjustable tilt.</li> <li>c. Podium has housing and construction for visual presenter.</li> <li>d. Podium body with nil screws visibility.</li> </ol>
<b>Display</b>	Capacitive touch with adjustable tilt mechanism with 3 mm overlay
Screen	Backlit LED, 53 cm
Resolution	1920 x 1080 full hd
Interactive Resolution	4000 LPI (Lines per Inch)
Brightness	300 NITS
Aspect Ratio	16:10
Screen Tilt	Manual
Touch Capability	Touch via finger and stylus.
Reading Accuracy	±0.5 mm (centre)
Viewing Angles	160 vertical and 170 horizontal
Response Time	Rapid response time of 5ms

Computer Interface	HDMI/VGA/DVI Port, USB
Display Port	VGA and HDMI
Pen Pressure sensitivity	2048 Levels
Speakers	Inbuilt
Tracking speed	200 points / second (approx.)
Annotation software	Features like text, edit, fonts, erase, colour, shapes, background, floating keyboard, print, undo, annotate, pens, choose, draw, stamp, move, capture picture, video, save, image gallery, etc..
Type/Mounting	Floor Standing

**Computing Details**

System/Processor	Intel Core i3 Processor, 3.2 GHZ, 3MB Cache
RAM	8GB
HDD/Storage	1TB
Operating System	Windows 10
Keyboard/ Mouse	Wireless USB Mouse and Keyboard
Audio	Line-In/1 x Line-Out/1
Wifi	Inbuilt
Input / Output Ports	USB 2.0 x 2, LAN 10/100/VGA
Industrial Grade Chassis	Small form factor chassis in mini form factor for operation in suitable temperature environments.
Antivirus	Norton Antivirus